Univ. Calif. Bot. Jarden Exped 7. So Amer. Chile, Argentina, Bolivea o Peru in 1935-36 Collectors James West Troj. Goodspeed. for correspondence see render Pret. Joackspeed Der. 1936 Specimens en J. H

BOMBACACEAE

W. 3792 Bombax sp. no flowers

TILIACHAE or ELECCARP. (I cant recall which)

W. 3672 Valles cordifolia R. & P.

W. 4873 Crinodendron Hookerianum Gay

" Patagua Molina ₩. 4972

5.0 7. 5172

M. 4065 Triumfetta acuminata HBK.

FLACOURFIACEAE

W. 3705 Abatia grandiflora Irmscher ined.

W. 4717 Azara lanceolata Hook. f. W. 4804 "

" celastrina Don. W. 4559

W. 5130

" integrifolis R. & P.
" Gilliesii H. & A. W. 4979

₩. 5132

## EMFETRACEAE

W. 491 Empetrum rubrum Vahl

# ERICACEAE

M. 4272 Befaria glauca H. & B., var. coarctata (H. & B.) Mahsf. & Sleum.

M. 3779 Gaultheria sp.

W. 3767 Vaccinium floribundum HBK.

W. 4699 Pernettya myrtilloides (Poepp. & Endl.) Zucc. W. 4683 " " " " "

W. 4830 72 9.8

W. 4893 74 78 78 80 ₩. 3780

W. 4695 W. 4388 furiens (H. & A.) Kl.

John 3

BORAGINACEAE

W. 3900 Cordia decandra H. & A.

M. 4009 " macrocephala (Desv.) HBK.

17 ₩. 3575 lutea Lam.

M. 4029 Heliotropium arborescens L.

99 M. 4080

W. 3886 19 stenophyllum H. & A.

W. 3875 M. 4087 11 pycnophyllum Phil.

angiospermum Murr.

M. 4093 Tournefortia microcalyx (R. & P.)

M. 4178 Coldenia litorale Phil.?

" paronychioides Phil. ₩. 3572

M. 4195 Lithospermym Shepardae Johnston

M. 4185 Plagiobothrys Kunthii (Walp.) Johnston

W. 4759 · verrucosus (Phil.) johnston

W. 5110 Cymoglossum zeylanicum Thunb.

limense Willd. ₩. 4975

W. 4767 Amsinckia hispida (R. & P.) Johnston

W. 5102 Echium vulgaris L.

₩. 3986

M. 4072 Borage officinalis L.

M. 4181 Cryptantha granulosa (R. & P.) Johnston

POLEMONIACEAE

M. 4613 Gilia foetida Gillies

M. 4617 " crassifolia Benth

W. 4763 Collomia biflora (R. & P.) Brand

W. 5113 "

W. 3850 Cantua buxifolia Juss.

W. 3688

HYDROPHYLLACEAE

W. 6092 Phacelia pinnatifida Griseb.

M. 4367

W. 6082a 11 nana Wedd.

W. 5092 " W. 4766 " magellanica (Lam.) Cov.

W. 4766 pinnata (R. & P.) Macbr. var. robusta (Brand) Macbr.

copy 90 Univ. Calif. Bot. Garden Exped to So. Amer. in 1935-36

# BERBERIDAC EAE

W. 4680 Berberis Darwinii Hook. 44 44 W. 4681 W. 4739 W. 4905 Berberis empetrifolia Lam. " trigona Kunze W. 4901 Berberis actinacantha Mart. var. typica 7. 3998 var. W. 3997 Berberis crispa Gay W. 4914 Berberis microphylla Forst. ₩. 4702 W. 4731 W. 4811 Berberis montana Gay W. 3665 Berberis commutata Eichl. W. 3660 Berberis phyllacantha Rusby Berberis boliviana Lechler W. 3664 W. 3722 CARYOPHYLLACEAE

M. 4196 Arenaria serpens HBK. W. 3827 Areneria sp. # sterile M. 4031 Stellaria cuspidata Willd. W. 3775 Arenaria lanuginosa (Mx.) Rohb. G. 4542 Cardionema ramosissima Nels. & Macbr.

W. 6075 Pycnophyllum tetrastichum Remy W. 4770 Spergularia n. sp.; det. Mrs. Rossbach who is monographing genus

1. 4166 Spergularia congestifolia Johnston det. Mrs. Rossbach

# NYCTAGINACEAE

M. 4125 Colignonia acutifolia Heimer.

M. 4382 Mirabilis ovata R. & P.

M. 4382a " W. 6129 Mirabilis Jalapa L.

M. 4108 Mirabilis viscosa Cav. W. 6187 Allonia incarnata L.

M. 4005 Boerhaavia paniculata Rich. concinnea Miller

W. 6276 Couptocarpus pyriferuns HBK CHENOPODIACEAE

W. 6179 Suaeda divericata Moq/ W. 5061 Atriplex hastatum L.

W. 6193 Atriplex

W. 3873 Atriplex taltalensis Johnston

W. 7991 5063 Carpobrotus chitensis (Mol.) N.E. Br. and Tetragonia expansa W. 3877 Tetragonia maritima Barn.

# PHYTOLACCACEAE

M. 4302 Hilleria latifolia (Lam.) H. Walt.

W. 6256 Phytolacca bogotensis HBK.

Univ. Calif. Bot. Gard. Exped to So. Amer 1935-36 BIGNONIACEAE W. 3673 Stenolobium arequipensis Sprague vel valde aff. M. 4081 Stenolobium sp. apparently new W. 6125 Stenolobium Garrocha (Hieron.) Schum. W. 3771 Delostoma Lobbii Seeman W. 3675 M. 4035 Tourrettia lappacea (L'Herit.) Willd. W. 6014 Becremocarpus scaber R. & P. W. 5164 Argylia viridis Phil. M. 4174 Argylia radiata (L.) Don W. 3865 M. 4339 Dolichandra cynanchoides Cham. W. 6132 Pithecoctenium cynanchioides DC. M. 4343 Gesneriaceae W. 6160 Achimenes sp. M. 4136 Besleria sp. M. 4158 \* lucida Poepp. W. 4847 Mitraria coccinea Cav. W. 4670 W. 4692 Sarmienta repens R. & P. W. 4868 W. 4720 Asterenthera ovata (Cav.) Hanst. RUBIACEAE (incomplete) W. 6260 Heterophyllaea pustulata Hook. f. M. 4313 Cinchona pubescens Vahl. W. 6131 Manettia cordifolia Mast. W. 3656 Arcytophyllum thymifolium (R. & P.) Standley W. 4669 Nertera depressa Banks W. 4963 Relbunium hypocarpium (L.) Hemsl. W. 5120 Oldenlandia the siifolia (St. Hil.) Schum. W. 3918 Cruckshanksia Monttiana Clos W. 4778 glacialis Poepp. & Endl. CAMPANULACEAE W. 4953 Wahlenbergia linarioides A. DC. M. 4155 Centropogon cuspidatus A. DC. M. 4130 aff. Macbridei Gleason M. 4280 Siphocampylos Orbignyanus A. DC. W. 3798 sp.

3/1935

Univ. Calif. Bot. Gard. Exped to So. Amer. 1935-36 CAMPANULACEAE cont. W. 4880 Lobelia Bridgesii H. & A. " Tupa L. W. 4971 W. 3777 W. 3940 25 nana H.B.K. " excelsa Bonpl.
" polyphylla H.& A. var. angustifolia (DC.) W. 3913 W. 4740 Hypsela oligophylla (Wedd.) B. & H. 度。4193 GOODENIACEAE W. 4939 Selliera radicans Cav. Mixed with Lobelia enceps L. (no. 49994). The latter is an erect plant with thinner leaves and subsessile flowers. CUCURBITACRAE monoecious M. 4112 Apodanthera mucronata Cogn. a dippetipus form M. 4352 Cayapouia sp. W. 6155 citrullifolia Cogn. var. breviloba Griseb. ACANTHACEAE M. 4056 Dyschoriste repens (R. & P.) Kuntze W. 6149 STO . W. 6145 Beloperone Mathewsii Lind. M. 4340 Ruellia Lorentziana Griseb. W. 4932 Stenandrium dulce (Cav.) Nees M. 4189 W. 3716 APOCYNACEAE W. 3790 Mendevilla brachyloba (Mul. Arg.) Schum. M. 4267 "
W. 6265 " laxa (R. & P.) Woodson W. 4718 Elytropus chilensis Mull. Arg. ACCLEP IDACEAE W. 3910 Tweedia brevipes (Ph.) Malme W. 6119 Asclepias campestris Decne M. 4350 equals Venturi 4350 from Tucuman M. 4261 Lugonia lysimachioides Wedd. W. 6235 Mitostigma speciosum Malme W. 6142 Gonolobus hartus Griseb. W. 6150 ₹# W. 6289 australis Malme W. 3991 Diplolepis Menziesii Schultz W. 5185 Cynanchum nummulariifolium H. & A. W. 3833 sp. probably new W. 6130 Philibertia new species

University California Botanical Exped. to South America. 1935-36.

# LEGUMINOSAE (75)

- W. 3679 Piptodenia macrocarpa Benth.
- W. 6272 excelsa (Griseb.) Lillo
- W. 5193 Acacia Cavenia (Molina) H. & A.
- M. 4374 Prosopis chilensis (Molina) Stuntz
- M. 4039 Cassia biflora L. var.
- M. 4260 45 latiopetiolata Domb.
- W. 3884 99 coquimbensis Vogel
- W. 5123 17 Closiona Phil.
- 11 W. 4551 stipulacea Aiton
- W. 6144 12 hirsuta L.
- 12 tomentosa L. f.
- W. 3652 W. 6112 17 sp. fruit needed
- W. 6122 12 92 sp.
- W. 3703 One of the Dalbergioids. No fruit.
- M. 4328 Tipuana tipu (Benth.) Lillo
- M. 4331 Bauhinia forficata Link. var. candic ns (Benth.) Hass.
- M. 4380 Caesalpinia Gilliesii (H. & A. ) Hook.
- M. 4614 Hoffmanseggia andina Miers
- W. 6284 falcaria Cav.
- 19 M. 4006 viscosa (R. & P.) H. & A.
- M. 4177 gracilis H. & A.
- M. 4364 Zuecagnia punctata Cav.
- M. 4377 Cercidium australe Johnston
- W. 3576 . P) Harms
- M. 4004 Caesalpinia spinosa (Molina) Kuntze M. 4048
- W. A696 Sophora tetraptera Aiton
- W. 5111 " macrocarpa Smith
- M. 4147 Crotalaria anagyroides HBK. W. 6169
- Lupinus microcarpus Sims
- G. 4593 W. 3768 W. 3782 W. 3639 eriocladus Ulbr. ?

- M. 4157

Peruvian lupines are in terrible confusion and must be monographed before determinations can mean anything. I will give you a name but that is all it will be under the present circumstances.

39

```
M. 4179 Weberbauerella brongniartioides Ulbr.
W. 6282 Amicia andicola (Griseb.) Harms
        Lathyrus macropus Gillies
M. 4383
          ** pterocaulos Phil.
W. 4796
W. 4654
         Vicia nigricans H. & A.
W. 5144
                apiculata Phil.
W. 4784
W. 4895
            99
                acerosa Clos
           19
               lomensis Macbr.
M. 4059
W. 5151 Adesmia resinosa Phil.
          11
                phylloides Clos
₩. 5181
           boronioides Hook. f.

arborea Bertero

retusa Griseb.

propinqua Clos

inflexa Griseb. 7

quadrijuga Phil.
W. 4775
W. 3911
W. 4711
 W. 5104
 W. 6095
W. 4748
                radicifolia Clos
            を を
 ₩. 5090
 W. 5091
 W. 6001
          Vigna vexillata (L.) A. Rich.
 M. 4008
 M. 4102
 W. 3677 Phaseolus adenenthus Meyer
 W. 6116 Centrosema virginianum (L.) Benth.
 M: 4278
 м. 4353
 W. 6115 Cologania australia Griseb.
           Galactia speciosa (DC.) Benth.
 M. 4281
           19
 M. 4120
 W. 6167 Desmodium adscendens (Sw.) DC. form with large flowers
  W. 5167 Ansthrophyllum Cumingii (H. & A.) Reiche
  W. 6173 Cracca heterantha (Griseb.) Harms
  W. 3970 Psorales lutea Molina
            " lasiostachys Vogel
  W. 3774
  W. 3661 Parosela boliviana (Britt.) Macbr. var. Herrerae Macbr.
  W. 3749 Apurimacia Michelii (Rusby) Harms
```

flavocreatus Johnston

unifultus l'Herit.

W. 6070 Astragalus Reichei Speg.

99

W. 6069

W. 6036

引大 第 Univ. Calif. Bot. Exped. So. Amer. 1935-36 PLUMBAGINAC EAE W. 4747 Statice andina (Poepp.) Rendle W. 3645 Plumbago caerulea HBK. PRIMULAC BAE W. 4955 Anagallis alternifolia Cav. W. 4983 " " var. angustifolia Phil. W. 4835 Lysimachium chilensis (Griseb.) Pax. GENTIANAC EAE M. 4153 Chelonanthus chelonoides (L.) Gilg M. 4130 Gentiana prostrata Haenke W. 3726 SAPOTAC BAE W. 61/7 Bumelia excelsa DC. LOGANIACEAE W. 4871 Desfontainea chilensis Gay W. 4834 " " W. Buddleia globosa Lam. no.4554 W. 6257 Buddleia brasiliensis Jacq. M. 4314 Buddleia sp. no flowers nor fruit. LABIATAE .W. 3791 Hyptis Tafallae Benth .W. 6242 "mutabilis (Rich.) Briq.
.W. 4279 "odorata Benth.
.W. 4038 "sp. · M. 4038 W. 5118 Stachys Macrael Benth. W. 3338a Stachys sp. (3938a) W. 3620 Salvia tubiflora Sm. M. 4124 " punctata R. & P.

W. 3655 " hastaefolia Epling
M. 4061 " macrophylla Benth.

W. 3756 "

W. 6175 " Gilliesii Benth.

W. 6188 " " rhombifolia R. & P. · M. 4017 M. 4123 Satureia Pavoniana Briq. 19 W. 3987 Gilliesii (Graham) Briq. 19 W. 5134 eugenioides (Griseb.) Loesn. M. 4394 W. 6243 Sphacele aurifera (Rusby) Epling W. 4366 " chamaedryoides (Balbis) Briq. W. 4997 Teucrium bicolor Sm. W. 3968 . M. 4602 Merrubium vulgare L.

Univ. Calif. Bot. Garden Exped to So. America, 1935-36

# SCROPHULARIACEAE

```
W. 5148 Mimulus luteus L.
          77
                  79
W. 4960
W. 4785 Mimulus glabratus HBK.
м. 4192
W. 3905 Alonsoa incisifolia R. & P.
W. 4716 Digitalis purpurea L.
W. 3778 Bartschia eineria Diels
M. 4194 Castilleja fissifolia L., var. pumila Wedd.
W. 4810 Euphrasia trifida Poeppig
W. 3571 Galvesia Ballii Munz
W. 3610 Veronica persica Poir.
W. 4817
                  serpyllifolia L.
M. 4162
            77
                  texana Scheele
            28
M. 4058
            18
W. 3735
                  Anagallis-aquatica L.
W. 3885
         Calceolaria ascendens Lindl.
W. 3912
             10
              11
W. 3938
                      pristiphylla Phil
              17
₩. 4772
                      foliosa Phil. ?
₩. 5248
             9.2
                      flabellifolia Kraenzl.
              2.9
W. 4771
                      biflora Lam.
              77
W. 4734
                      scutifolia Witasek
              19
M. 4253
                      n. sp.?
              7.5
M. 4034
M. 4018
                      pinnata L.
              2.2
              291
M. 4392
                      pinifolia Cav.
              711
M. 4393
                      bellidifolia Gillies
W. 6568
              18
                      glacialis Wedd.
W. 6245
              29
                      teucrioides Griseb.
              77
W. 5127
                      polifolia Hook.
W. 3982
              72
W. 6012
              716
                      thrysiflora Graham
              19
W. 5142
                      purpurea Graham
              9.9
₩. 4567
                      thrysiflora Graham
W. 4974
W. 4852
              79
                      violacea Cav.
              17
                      punctata (R. & P.) Vahl
W. 5186
              19
                      hypericina Poeppig
              79
W. 3995
                      viscosissima Lindl.
              11
W. 5066
                      integrifolia L.
              19
W. 4714
                      crenatiflora Cav.
              21
W. 4715
                      tenella Poepp. & Endl.
W. 4910
                      montana War.
              11
W. 3733
                      sp.
W. 3858
                      sp.
```

Univ. Calif. Bot. Exped. to So. Amer. 1935-36

dy +16

Gri

SOLANACEAE cont.

Vestia lycioides Willd. W. 4986 W. 6156 Cestrum parqui L'Herit. 2.9 M. 4356 910 99 W. 3945 12 M. 4092 auriculatum R. & P. 27 M. 4037 hediundium R. & P. " mixture Mostly C. Lorentzianum Gris. Also some small branches os C. pubens M. 4323 latter with shorter leaves and more hairy leaves and calyces M. 4047 Achistus umbellatus (R. & P.) Miers 12 ... A001 \*\* W. 6146 parviflorus Gris. 11 W. 6182 australis Gris. M. 4103 Dunalis spathulata (R. & P.) Br. & Aschers. ₩. 3653 lycicides Miers W. 3745 obovata (R. & P.) Dammer M. 4345 Lycium cestroides Schlect. M. 4385 " chilense Miers M. 4106 Solanum lycioides L. var. tomentosa Dunal 9.9 M. 4073 These wild potatoes are in a terrible mess 11 M. 4071 sp. equals 4073 For the time being they are best left unnamed! 24 M. 4069 sp. 8.5 H. 4013 phyllantum Cav. 12 M. 4054 94 W. 3631 n. sp. 9.0 M. 4118 n. sp. M. 4251 5.9 sp. W. 3704 вр. 22 W. 3789 confine Dunal 99 W. 3671 nutans R. & P. 7 22 M. 4200 pulverulentum Pers. 24 W. 3734 lycioides L. " albidum Dunal M. 4114 22 м. 4315 sp. no flowe s nor fruit. 981 W. 6152 Hieronymi Kuntze 8.8 M. 4330 subtilius Bitter M. 4341 argentinum Bitter & Lillo 22 M. 4612 juncalense Reiche 28 W. 3930 2sheets sent by mistake pinnatum Cav. W. 3955 87 10 W. 4976 Maglia Schlect. 11 W. 5067 crispum R. & P. tupicum W. 4667 17 Valdiviense Dunal W. 3866 10 Remyanum Phil. W. 3899 elaegnifolium Cav. M. 4077 Lycopersicum peruvianum (L.) Mill. typicum W. 3600

M. 4176 Leptofeddea lomana Diels (belongs to Salpiglossis sens. lat.)

# SOLANACEAE cont. 2

M. 4335 Nierembergia hippomanica Miers

" minima (Molina) Johnston W. 5099

W. 4949 48 ₩. 4990

W. 3981 Schizanthus pinnatus R. & P.

W. 5162 Hookeri Gillies

W. 4984 Salpiglossis sinuata R. & P.

W. 3739 unrecognized. Possibly a Capsicum sp. Fruit needed.

# CONVOLVULACEAE

W. 5154 Cuscuta chilensis Ker. & Gawler

W. 3924

M. 4091 Ipomoea Kinbergi Anders.

W. 3847 W. 6266 " Pearceana Kuntze
" purpures (L.) Lam.

W. 6237 Quamoclit lobats (Cav.) House

W. 6165 coccinea (L.) Moench

M. 4351 Convolvulus montevidensis Spreng.

" dissectus Cav. W. 3950

W. 4917 Hermanniae L'Her.

M. 4040 Evolvulus villosus R. & P.

W. 3612 19 99

M. 4002 Jacquemonyia secunda (R. & P.) Choisy 3794

W. inadequate material. Probably an Ipomoea sp.

CAM 43

```
VERBENACEAE
```

- W. 3763 Lantana rugulosa HBK. 7 W. 6134 "micrantha Briq.
- W. 6259 trifolia L.
- W. 6285 Lippia reptans HBK.
- W. 3948 " filiformis Schrad.
- 11 M. 4370 ligustrina (Lag.) Britton
- W. 3793 Duranta triacantha Juss.
  W. 3644 " sp.
  W. 3643 " sp.

- W. 4553 Rhaphithamnus cyanocarpus Miers
- W. 4727
- W. 6177 Verbena inconcinna Brig.
- " fissa Hayek E. 4170
- " erinoides Lam., var. glandulifera Sanzin M. 4372
- W. 3909 W. 6281 " elaginoides Kunth.
- " chamaedrifolia Juss.
- M. 4332
- M. 4390 Dipyrena glaberrima Gill. & Hook.

#### NOLANACEAE

- W. 3867 Nolana rupicola Gaud.
- " latipes Johnston м. 4184
- divaricata Lindl.
- W. 3872 " W. 3878 "
- incana (Phil.) Johnston

  Werdermannii Johnston (Two sheets senet; one by mistake ?)

  crassulifolia Poepp.

  peruviana (Gaud.) Johnston

  aplocaryoides (Gaud.) Johnston w. 3927 w. 3958 w. 3861 w. 3871

- aplocaryoides (Gaud.) Johnston
- humifusa (Gouan) Johnston H. 4027
- 25 Adansoni (R. & S) Johnston M. 4182
- W. 3925 Alona filifolda (H. & A.) Johnston

# SOLANACEAE

- M. 4398 Physalis viscisa L.
- W. 6166
- W. 3719 Salpichroa glandulosa Miers
- " hirsuta Miers и. 4198
- W. 3853 diffusa Miers
- W. 3692 Datura sanguinea R. & P.
- M. 4132 Nicandra physaloides (L.) Gaertn.
- м. 4026 77 No corollas. A very peculiar plant.
- M. 4623 Jaborosa caulescens Gill. & Hook.
- M. 4616 Fabiana denudata Miers.
- W. 5094 " imbricata R. & P.
- W. 4765
- 36 22 W. 5107
- W. 6107 sp.

Soph

24

Calif. Bot. Gard. Exped. to So. Amer. 1935-36

# VIOLACEAE

W. 4722 Viola Buchtienii Gand.
W. 4855 " rubella Cav.
W. 4962 " capillaris Pers.
W. 3992 " Portalesia Gay
W. 4902 " Fluhmanni Phil
W. 3727 " nivalis Benth.
M. 4171 " Weberbaueri Becker

# Plantaginaceae

W. 5076 Plantago lanceolata L.

W. 4841

W. 6005

" grandiflora Meyen

W. 4956

" sp. These 2 spp. of the sect. Novo-orbis cant be named. The section is

W. 5059

" sp. | | | in unbelievable confusion.

#### VALERIANACEAE

W. 4965 Valeriana crispa R. & P.
W. 4713 " valdiviana Phil.
W. 4889 " Hornschuchiana Walp.;
W. 4809 " lapathifolia Vahl
W. 4908 " sp.; (no flowers nor fruit)
W. 4776 " carnosa Smith
W. 3728 " rigida Pers.

#### CALYCERACEAE

W. 4626 Boopis ventosa (Meyen) Kuntze W. 5249 " " W. 4749 " gracilis Phil.

## CAPRIFOLIACEAE

M. 4305 Viburnum Seemenii Graeb.

M. 4273 " , //r forma boliviana (Gand.) Killip & Smith

#### ARISTOLOCHIACEAE

M. 4288 Aristolochia brasiliensis Mart. & Zucc.

₩. 3880 chilensis Miers

#### AMARANTAC EAE

M. 4172 Froelichia tomentosa Moq. forma nigra Susseng.

W. 3784 Iresine Celosia L. W. 6082 Gomphrena Meyeniana Walp.

W. 6108

M. 4607 Gomphrena pumila Gillies

M. 4064 Alternanthera paniculata HBK.

15 題。4063

#### POLYGONACEAE

W. 5060 Polygonum aviculare J. var. W. 6141 Ruprechtia corylifolia Griseb.

M. 4290 Antigonon leptopus H. & A.

M. 4257 Muhlenbeckia vulcanica (Benth) Endl.

W. 3830 "

W. 4659 Muhlenbeckia sagittifolia Meisn.

W. 3922 Muhlenbeckia hastulata (Sm.) Johnston

₩• 3932 \*\* ₩• 3898 \*\*

# CRUCIFERAE

W. 4799 Draba Gilliesii H. & A.

W. 6103 Descurainia Perkinsiana Muschler

#### Capparidaceae

M. 4163 Cleome chilensis DC.

M. 4334 Atamisquea emarginata Miers. W. 3573 Capparis avicenniifolia HBK.

W. 3570 Capparis scabra HBK.

W. 3581 Capparis crotonoides HBK.

# FUMARIACEAE & PAPAVARACEAE

FM M. 4016 Fumaria capreolata L.

M. 4066 Bocconia frutescens L.

₩. 3695

#### URTICACEAE

M. 4293 Boehmeria fallax Wedd.

M. 4133 Trema micrantha (L.) Blume

W. 4853 Piles elegens Richard

W. 4864 Urtica magellanica Poir.

#### JUGLANDACEAE

W. 6221 Juglans australis Griseb.

#### BETULACEAE

W. 6238 Alnus jorullensis HBK.

#### THYMELIAC EAE

W. 4881 Ovidia pillopillo (Gay) Meisn.

W. 4733

# MYZODENDRAC EAE

W. 4912 Myzodendron linearifolium DC.

#### CONIFERS

- W. 4819 Saxegothaea conspicua Lindley
- W. 4885 Podoc rpus nubigenus Lindley W. 3816 Podoc rpus glomeratus Don ?
- W. 6017a Libocedrus chilensis (Don) Endl.
- W. 4741 W. 4828 Fitzroya cupressoides (Molina) Johnston
- W. 4827 Libocedrus uvifers (Don) Pilger

# DIOSCOREaceae

W. 4923 Dioscores sp. Cant name without leaves.

# CYPERACEAE

- W. 4897 Carex aphylla Kunth W. 4787 Scirpus cernuus Vahl.
- W. 4999a " "
- W. 5100 Scirpus asper Presl
- W. 5075 Scirpus nodosus Rottb.
- W. 4357 Cyperus grammicus Kunth W. 4840 Cyperus r flexus Vahl
- W. 3686 Cyperus vegetus Willd.
- W. 6262 Cyperus hermaphroditus (Jacq.) Standl.
- M. 4003 Cyperus ferox Rich. W. 6275 Cyperus czyennensis (Lam.) Britton.
- M. 4050 Cyperus sp.

```
IRIDACEAE
W. 5156 Sisyrinchium striatum Sm.
W. 3990
         Sisyrinchum sp.
                                Until this genus is monographed names for
W. 4991
W. 5121
                                 for species dont mean much in this genus.
W. 4798
₩. 5103
G. 4507
           11
          210
W. 3976
W. 5244
          予念
W. 3659
        Orthrosanthus Ocisapunga Ruiz
W. 6267
        Sphenostigma euryandra (Griseb.) Baker
77. 4899
        Libertia elegans Poepp.
W. 4653
W. 4969
W. 4950 Alpphia pulchella Sweet
W. 6283 Alephia sp.7 no flowers
LILIAÇRAE
W. 3989 Conanthera campanulata Don
        98
           95
                   bifolia R. & P.
```

₩. 3966 W. 5072 W. 3965 M. 4187 Nothoscordum andicola Kunth gramineum (%)// Sims) Beauv. W. 5112 W. 4838 м. 3986 Leucocoryne ixioides (Hook.) Lindl. W. 4671 Luzuriaga polyphylla (Hook.) Macbrid 7. 4719 radicans R. & P. W. 4968 Herreria stell: ta R. & P. W. 3963 Pasithea caerulea (R. & P.) Don

M. 4036 Anthericum glaucum R. & P.

# GRAMINEAE

W. 6003 Hordoum comosum Presl

M. 4373 Stipa tentissima Trin. W. 3869 Stipa tortuosa Desv. W. 3881 Stipa plumosa Trin.

M. 4095 Stips ichu (R. & P.) Kunth

W. 5088 Aristide pallens Cav.

W. 6275a Aristida enodis Hack.

M. 4173 Aristide adscensionis L.

M. 4070 Paspalum racemorum Lam.

W. 6246 Paspalum malacophyllum Trin.

W. 360) Paspolum penicillatum Hook.f.

M. 4307 Lasiacis ligulata Hitchc.& Chase

W. 4964 Briza maxima L.

W. 4706 Briza subaristata Lam. W. 5007 Briza "

W. 4686 Poa sp.

W. 508) Imperata brasiliensis Trin.

W. 5152 Agrostis sp. glumes only, no palea

M. 4014 Festuca australis Nees

M. 4391 Melica sp.

M. 4169 Eragrostis peruviana (Jacq.) Trin.

W. 6186 Cottea pappophoroides Kunth.

W. 3882 Avena barb ta Brot.

W. 4952 Gastridium ventricosum (Gouan) Sch. & Thell.

W. 4878 Danthonia chilensis Desv.

M. 4298 Chusquea serrulata Pilger

W. 5189 Chusques Quila Molina

W. 4560

#### COMMELINACEAE

W. 3619 Commelina hispida R. & P.

M. 4021 Commelina sp.

W. 6151 Tradescantia ambigua Mort.

# JUNCACEAE

W. 4373 Juncus cyperoides Laharpe

W. 4849 Juncus planifolius R. Br.

W. 3685 Juncus imbricatus Laharpe

W. 5000 Juneus microceph lus HBK.

W. 4807 Marsippospermum Philippi (Buchen.) Hauman

#### EPHEDRAC EAE

G. 4592 Ephedra chilensis Miers

W. 5098 Ephedra chilensis Miers

W. 4769 Ephedra andina Poepp.

#### MAGNOLIACEAE

W. 5117 Drymis Winteri Forst

W. 4730 " " W. 4900

# CHNNONIACEAE

W. 4682 Caldeluvia paniculata Don

W. 4679 Weinmannia trichosperma Cav. M. 4270 " spiciformis Engler

#### OX.ALIDACEAE

W. 6111 Oxalis sp.

M. 4608 Oxalis muscoides Phil.

W. 3856 Oxalis megalorrhiza Jacq. ?

M. 4012 Oxalis megalorrhiza Jac. typica

M. 3983 Oxalis sp. no leaves An interesting plant; send all your material

W. 6021 Oxalis polyantha Walp. no. 6011

₩. 5153

W. 5114 Oxalis valdiviensis Barn.

W. 4894 " " " W. 5188 Oxalis rosea Jacq.

# TROPAEOLACEAE

W. 3687 Tropaeolum peregrinum L.

" cili: tum R. & P. W. 3994

% 5245 polyphyllum Cav.

# ERYTHROXYLACEAE

M. 4274 Erythroxylum coca Lam.

# GERANIACEAE

M. 4078 Geranium Limae Knuth

sessiliflorum Cav. var. W. 6072

W. 4795 var. typicum

W. 5157 Viviania rosea (Hook.) Klotz.

W. 6098 Balbisia Meyeniana Klotz.

#### MYZODENDRACEAE cont.

W. 4712 Myzodendron oblongifolium DC

42 punctulatum Banks & Sol. W. 4677

# LORANTHACEAE

W. 4879 Lepidoceras Kingii Hook.f.

W. 3683 Phorodendron

W. 3902 Phrygelanthus aphyllus (Meers)

sp.

W. 3577 W. 4887 12 heterophyllus (R. & P.) Eichl.

W. 5129 tetrandrus (R. & P.) Eichl.

W. 6270 cuneifolius (R. & P.) Eichl.

# SANTALACEAE

M. 4605 Arjona ruscifolia Poepp.

Quinchamalium chilense Molina

W. 4753 W. 4892

FAGACEAE W. 5115 Mollofogus 4p.?

W. ACAZ Nothofagus oblique (Mirbel) Blume var. macrocarpa (DC) Reiche

W. 4791 antarctica (Forst.) Oerst.

Dombeyi (Mirbel) Blume

W. 4773 W. 4790 11 punilio (Pogyp > Endl.) Krasser.

#### MENISPERMACEAE

M. 4275 Cissampelos tropaeolifolia DC.

#### Monimiaceae

W. 3953 Peumus Boldus Molina

W. 5195 Cryptocarya rubra (Molina) Skeels

#### PORTULACEAE

W. 6127 Portulaca sp. (2 plants sent, one with tuberculate seeds, one with non-tuberculat seeds; this is very interesting since species of portulace are distinguished on such seed differences. I can not believe that more than one species is represented in the plants before mel)

W. 6190 Portulaca sp.

W. 6135 Portulaca plono-operculata Kuntze

W. 6232 Talinum peniculatum (Jacq.) Gaertn.

W. 6191 Talinum polygaloides Gillies

₩. 3859 Silvaea pachyphylla Ph. forma

W. 5169 Calandrinia picta Gillies

W. 3868 Calandrinia taltalensis Johnston

W. 3959 Calandrinia glauca Schrad.

W. 4574 Calandrinia glauca Schrad W. 6006 Calandrinia denticulata Gillies

W. 5095 Calandrinia imbellata (R. & P.) DC.

W. 6081 Calandrinia acaulis HBK.

W. 5168 Calandrinia sericea H. & A.

```
RANUNCULAC EAE
W. 6273 Ranunculus argemonefolius Griseb.
W. 4786
            99
                     peduncularis Sm.
W. 4673
M. 4186
                     Cymbalaria Pursh
M. 4082
        Clematis sp. sterile
W. 6269
          72
                  sericea HBK.
M. 4360
                  campestris St.Hil.
W. 6234
            $ $2
                  Hilarii Spreng.
M. 4320
           9.8
                    75
M. 4325
W. 4882
         Anemone multifida Poir.
                 hepaticifolia Hook.
                entegrifolia HBK.
W. 3657
CHLORANTHACEAE
```

M. 4300 Hedyosmum sp.

## PIPERACEAE

-		THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COLUM
M.		Peperomi
W.	6236	86
W.	3621	9.5
M.	4113	Piper
	4105	19
M.	4287	19
M.	4294	29
M.	4304	16
M.	4306	930
M/	4140	14

The Piperaceae have been so atrociously messed up by the throughly absurd, #d#/#d/#/#/#/#/# mistrestment given it by that socalled botanist Trelease, that names that mean any thing simply can not be given the species untill some same worker puts the nomenclature and taxonomy of the family back in some sensible and practicable order. I can send these pipers to Trealess who wall give indicate that fully three-forths f them are new species but will probably never get around to publishing them. In any case his names will have about as much meaning as the collectors number on the label. I say leav the specimens undetermined.

#### PROTEACEAE

W. 4658 Guevinia avellana Molina

Roupala monosperma (R. & P.) Johnston 图. 4117

W. 4662 Embothrium coccineum Forst.

M. 4119 grandiflorum Lam.

W. 4732 W. 5183 Lomatia obliqua R.Br.

dentata R. Br.

W. 4977 W. 4867 ferruginea R. Br.

#### SAXIFRAGACEAE

- W. 3788 Escallonia Herrerae Mattf.
- W. 5159 Escallonia Cermelita Meyen W. 4870 Escallonia leucantha Remy
- W. 3985 Escallonia rubra (R. & P.) Pers.
- W. 5200 Escallonia ilinita Presl
- M. 4096 Escalloni. penduls (R. & P.) Pers.
- W. 4704 Escallonia macrantha H. & A.
- W. 4987 Escallonia pulverulenta (R. & P.) Pers.
- 7. 5126 var. glabra Engler
- W. 4557
- W. 3650 Escallonia resinosa (R. & P.) Pers.
- W. 4907 Esc. 11onia virgata Pers.
- W. 4844 Francoa sonchifolia Cav.
- W. 4998
- W. 4851 Valdivia Gayana Remy

# ROSAC HAE

- W. 3746 Prunus Capuli Cav.
- W. 5116 Fragaria chiloensis (L.) Tuchesne
- ₩. 4660
- W. 4943 Acaena trifida R. & P. var. nanodes Bitter
- W. 4764 Acaena sterile
- W. 4600 Acaema ovalifolia R. & P.
- W. 4779 Acaena pinnatifida R. & P.
- W. 4794 Acaena integerrima Gillies
- W. 4751
- 27 W. 4783 25
- W. 4663 Geum Quellyon Sweet
- W. 5108
- W. 4723 Rubus geoides Smith
- W. 3786 Rubus
- W. 3823 Rubus nubigenus HBK.
- W. 3831 Rubus urticeefolius Poir.
- W. 3787 Polylepis incana HBK.
- W. 6110 Polylepis tomentella Wedd.
- W. 5065 Margyricarpus setosus R. & P. var.
- M. 4606 Tetraglochin n. sp.
- W. 6086 Margyracarpus cristatus Britton
- W. 3854 197
- W. 5140 Kageneckia oblonga R. & P.
- W. 4580 Quillaja suponaria Molina
- W. 5086

# SAXIFRAGACEAE cont.

- W. 4810a Ribes magellanicum Poir.
- W. 4721
- M. 4199 Ribes material inadequate
- W. 3019 Ribes macrobotrys R. & P.
- W. 5137 Ribes punctatum R. & P.
- W. 4929 (a mixture) hairy plant with fruit Ribes collinum Phil. paler sterile plant Ribes punctatum R. & P.

det. by Schweinfurth and deposited in the Ames Orchid Herb. rium ORCHIDACEAE

- W. 5084 Chloraca chlorosticta Phil. aff. mixed with (5084a) C. semibarbata Lindl. aff.
- .. 4668 Chlorees sp.
- W. 3939 Chloraea Reicheana Krunzl. ex cher. W. 3974 Chloraea ulanthoides Lindl.
- 7. 47)7 Chloraea ferruginea Epeg. & Kränzl. ex char.
- W. 1774 Assrca odoratissima Poepp. & Endl.
- W. 3824 Spirantnes matucanensis Kranzl. aff.
- W. 3817 Oncidium aureum Lindl.

Sept. 1937.

W 7091 Fuchsia Sanctae-Rosae Kuntze W. 5414

www. W. 7106 Fuchsia Mattoana Krause

M. 4406 Fuchsia megallanica Lam.

W. 7110 Fuchsia boliviana Carr.

W. 6462

W. 7113 Fuchsia macrophylla Johnston

W. 7092 Fuchsia tincta sp. nov.

7094 W. Fuchita chloroloba sp. nov.

W. 7083 Fuchsia austromontana sp. nov. W. 70937

\_ another N. Ap.

numbers previously reported upon and now restudied. and named anew. 3705 Fuchsia platypetala sp. nov.

Fuchsia magellaniwa Lam. var. Molinae Espinosa

The other Fuchsias are correctly named as previously reported.

W. 6423 Calcaolaria flexuosa R. & P. W. 8332 Calceolaria teucricides Griseb.

W. 7042 Calceolaria saxatilis HBK. W. 7082 11

W. 6428 Calceolaria tomentosa R. & P. Zeniciem W. 8114 Calceoleria deflexa R. & P.

W. 7001 Calceolaria diversifolia Kraenzl.
W. 6395 Calceolaria bartsiaefolia Wedd. typica

W. 6360

W. 8229 Calceolatia santino santolinoides Kraenzl.

W. 7107 Calceolaria n. sp. 1

W. 8095 Calceolaria 80 n. sp. 2

W. 8168 Calceolaria n. sp. 3

M. 4253 Calceolaria n. sp. 4 (previously reported)

W. 3733 Calceolaria Engleriana Kraenzl. ?

W. 3858

W. 7002

W. 7095 Calceolaria sp. I cant place this and the material is too poor to describe. W. 6421 Calceolaria sp. This belongs is a particularly confused group.

W. 8333 Calceolaria sp.

4513 ( pulvaplula nys.

Sept. 1937

#### BORAGINACEAE

W. 8174 Lithospermin Macbridei Johnston

W. 8403 Saccellium lanceolatum H. & B.

W. 8426 Heliotropium tiaridioides Cham.

W. 8431 Heliotropium procumbens Miller

W. 8302 Heliotropium amplexicaule Vahl.

W. 8242

W. 8206 Heliotropium arborescens L. var. grisellum Johnston

# EUPHORBIACEAE (determined by L. C. Wheeler)

W. 8391 Jatropha flavovirens Pax 'Hoffm.

W. 8027 Euphorbia Poeppigii Boiss.

W. 6322 Euphorbia chilensis Gay

W. 8446 Euphorbia Berteriana Balbis

W. 8390 Acalypha communis Muell. Arg. ?

W. 8266 Acalypha communis var. intermedia Muell. Arg.

3

W. 8398 Cnidoscolus vitifolius (Mill.) Pohl. var. repandus Griseb.

W. 6464 Julocroton triqueter Baillon

W. 8263 Croton heteroneurus Muell. Arg.

W. 8268 Croton saltensis Griseb.

w. 8370 w. 8369

19 90 W. 8368 2

W. 8415 Croton lobatus L.

W. 8296 Croton rhamnifolius HBK. var.

W. 6171 Euphorbia Hinkleyorum Johnston

CT'37 copy.

BROMELIACEAE determined by L. B. Smith "Most of the specimens are poor" 6467 Pitcairnia ferruginea R. & P. 6494 TE 7105 8111 Pitcairnia pungens HBK. 7101 Pitcairnia sp. Pu Vriesia sp. 8177 Puya sp. 6469 7032 8041 19 99 6479 9.8 8323 8345 19 79 8353 8155 a mixture of two species Pitcairnia sp. Deuterocohnia sp. SCROPHULARIACRAE (exclusive of Calceolaria) W. 6497 Bartsia inacqualis Benth W. 6394 Bartsia Meteniana Benth. W. 6328 Bartsia hispid: Benth. W. 8117 Castilleja fissifolia L. var. pumila Wedd. W. 0037 Castilleja communis Benth W. 7131 /Ba Gerardia lanceolata (R. & P.) Benth 12 W. 6417 W. 8347 Gerardia Fiebrigii Diels W. 8005 Scoparia dulcis L W. 8340 Mimulus glabratus HBK. W. 8204 Alonsa acutifolia R. & P. W. 6478 Alonsa acutifolia R. & P. W. 8102 Alonsa linerifolia Steud. VERBENAC EAE W. 8275 Verbena chamaedrifolia Juss. W. 8202 Verbena fissa Hayek W. 819) Verbena litoralis HBK. W. 8281 Verbena officinalis L. var. gracilescens Cham. w. 8371 Lantana canescens HBK W. 8001 Duranta repens L. 7 W166165 Duranta Mutisii L.f W. 3793 " " (previous determine W. 8183 Duranta sp. 77 no flowers nor fruit W. 6301 Lippia hastulata (Griseb.) Hieron. (previous determination incorrect) W. 8440 Lippia ligustrina (Lag.) Britt. W. 6353 Verbena microphylla HBK. W. 6344 Verbena aspera Gill. & Hook. var. W. 6115 Verbena laciniata (L.) Briq.

# CONVOLVULACEAE

W. 8291 Evolvulus sericeus Sw.

W. 7023 Ipomoea fruticosa Kuntze ?
W. 8002 Quamoclit coccinea (L.) Moench
W. 6412 Convolvulus Hermannae l'Herit. forma

W. 8106 Evolvulus sp.

W. 6346 Evolvulus sericeus Sw. var. falcatus (Griseb.) v. postr.

# HYDROPHYLLAC EAE

W. 8342 Phacelia pinnata (R. & P.) Macbr de W. 8327 Phacelia pinnatifida Griseb.

# POLEMONIACEAE

W. 7139 Huthia caerulea Brand

C 7.137 Univ. Calif. Bot. Gard. Ex ed. to So. Amer. SOLANACRAE W. 8270 Nierembergia minima (Molina) Jtn. w. 8239 Lycopersicum peruvianum (L.) Miller W. 8007 L. esculentum Miller, var. W. 8193 Hebecladus W. 8248 Salpichroa rhomboidea Miers var. W. 6358 S. sp. perhaps S. diffufa Miers but no flowers collected W. 8127 S. Weberbaueri Dammer (no. 3719 is also this species) W. 70% Poecilochroma punctata (R. & P.) Miers W. 8162 Poecilochroma sp. W. 8192 Achistus multiflorus Dammer W. 8166 Dunalia obovata (R. & P.) Dammer W. 8286 Achistus australis Griseb. W. 6372 Jaborosa crispa (Dun.) B. & H. W. 8023 Physalis peruviana L. W. 8447 Physalis angulate L. W. 8247 Physalis viscosa L. W. 8032 Nicandra physaloides (L.) Gaertn. W. 8259 Datura Stramonium L. W. 7124 Datura spaveolens HBK.? W. 8246 Cestrum pubens Griseb. W. 8307 destrum Lycium cestroides Schl. ₩. 8425 MYRC INACEAE W. 7127 Rapanea ferruginea (R. & P.) Mey. Gentianaceae W. 7129 Chelonanthus acutangulus (R. & P) Gilg W. 0120 Gentiana sp. W. 8144 Gentiana sp. W. 8137 Gentiana sp. W. 7052 Gentians exacoides Gilg W. 6499 W. 7169 Gentiana sedifolia HBK. W. 6376 25 ₩. 7031 W. 6498 Halenia umbellata (R. & P.) Hilg W. 7028 ASCLEPIADAC BAE W. 8458 Macroscepis aurea Fourn.: W. 8078 Philabertia sp. W. 8253 Morrenia odorata (H. & A.) Lindl. W. 8234 Lugonia lysimachioides Wedd. W. 8443 Funastrum gracile (H. & A.) Schl. W. 8264 Mitostigms boliviense Schl. W. 8325 Mitostigma latiflorum Griseb. APOCYNAC EAE W. 8258 Mandebilla laxa (R. & P.) Woodson W. 8374 Vallesia glabra Cav. LOGANIACEAE W. 8260 Buddleia Urbaniana Kraenzl. W. 8367 B brasiliensis Jacc.

Oct. 1937

Univ. Cal. Bot. Gard. Exped to South Amer.

Copy

# Calceolaria

W. 3733 C. Engleriana Kraenzlin !

w. 3858

11

W. 7002

Report	on	garden	cultures

,				C MAN OF CONTROLLED	1
36.1186	equals			2 C. ascendens	
36. 1559		no.		C. pristophylla Ph.	
36.1302		no.	4513	C. petrophilla n. sp. This is conspecific with W.	4513.
36.1507		Application of the last of the	4550	C. pinnata L. A seed collection only.	
36.1316			4582	C. corymbosa R. & P. A seed collection only.	
36.1509		-	4772	C. tigris n. sp. (the photo progves this not C. f	oliosa)
36.1356			5142	C. purpurea	
	this g	arden	materia	al is clearly C. campanae Phil.	
the way the same of the same o		no.	5186 i	s clearly C. hypericinum as previously reported.	
			-		

36.1388 equals no. 5227 C. corymbosa R. & P. (seed collection only). 6245 C. teucrioides Gris.

36.1466 6245 C. teucricides Gris.
36.1846 6395 C. bartsiaefolia Wedd.
36.1783 6428 C. tomentosa R. & P.
36.1830 7001 C. myriophylla Kraenzl

7001 C. myriophylla Kraenzl. Your garden cultures show that the C. diversifolia Kr. is only a phase of C. myriophylla.

This is C. chelidenicides HBK. It is very different from the wild plant, no. 7107, from which it is said to have been grown. However these aquatic species are extremely variable and I am not disinclined towards believing that seeds from W. 7107 could make the protean change into the cultured plant you send as no.36.1909. Could this be proved as so then a dozen or more so called species would be open to suspicion. No label was sent to accompany the cultured paint 36.1909

36.1400 equals no. 5248 I think you had best reject C. flabellifolia for this.
This plant of the upper Aconcagua is C.a.d. color follow & 1.2805 and I advise that you take up this name.

Please note that there has be obvious confusion as regards the correlation of no. 5186 with 36.21623. I do not question the geographic source given on the label of 36.1623. \*/be/c. campanae is a very distinct species enderic where 36.1623 is given as hoving been collected.

```
Univ. Calif. Bot. Gard. Expe to So. Amer.
                                                    (March 1938)
     determined at Gray Herb. by I.M. Johnston
 BIGNONIACEAE
8361 Amphilophium paniculatum (L.) HBK.
 8364 Pithecoctenium cynanchoides DC.
 ACANTHACEA
8404
      Ruellia ventricosa HBK.
8008
8394
      Ruellia Lorentziana Griseb.
8362
      Ruellia nudiflora (Engelm.& Gray) Urban var. (R. macrosolen Lillo)
8395
7112 Ruellia pedunculosa R. & F.
8363
     Justicia nemoralis Lillo
8407 Stenandrium mandiocanum Nees
6442
      Justicia sp.
RUBIACHAE
      Richardia brasiliensis Gomez
8310
8277
      Borreria brachystemonoides C. & S.
6303
8221
      Mitracarpus brevis K. Schum.
6411
      Relbunium hypocarpium (L.) Hemsl.
7166
      Relbunium ciliatum (R.&P.) Hemsl.
7178
      Arcytophyllum thymifolium (R.&P.) Staneley
8090
                    Riveti Dang. & Cherm.
8360
      Manettia cordifolia Mart.
8261 Pogonopus tubulosus (DC.) K. Schum.
7077 Psychotria sp.
8441 Coutarea hexandra (Jacq.) K. Schum.
PLANTAGINACEAE
8038 Plantago hirtella PBK.
8157 Plantago monticola Done/
LOBELIACEAE
7044 Lobelia tenera HBK.
3798 Siphocampylos Frauseanus Wimm.
6439
      Siphocampylos sp.
7045
      Siphocampylos Elfriedi Wimm.
6460
      Siphocampylos dependens (R.L.) Don var. uncalatus Wimm.
8043
CUCURBITACEAE
6458 Cayaponia citrullifolia (Griseb.) Cogn.
8434
                              var. breviloba Griseb.
COMPOSITAR
8262 Stevia sp.
                    This genus is impossible: The only person who knew
        27
8308
                   anything about it is dead. That was the lat curator of t
6517
                    the Gray Hero. Even with his critically named and
6307
                    extensive herbarium representation of the genus I
8328
                    hesitate to name any of these plants without apending
8326
                    some weeks on them.
8316
8039 Rupatorium beneolens Robins.
6327 Euratorium L rentzii Hieron.
8428 Eupatorium hecatant um (DC.) Baker
8021 Ageratum conyzoi es L.
8026 Ophryos; orus piquerioides (DC.) Benth.
8019 Vernonia cotaniensis Hieron. These get to be trees and vines but
8321 Vernonia Kuntzei Hieron.
                                    I also doubt if it gould have reached
                                     10 m.
```

CORTARIACEAE

W. 7085 Coriaria thymifolia Willd.

ANACARDIACEAE

W. 8437 Schinopsis Lorentzii (Gris.) Engler

W. 8075 Schinus Pearcei Engler

W. 8076 Schinus molle 1.

MELIACEAE

W. 8454 Cedrela fissilis Vell. var. macrocarpa C.DC. ?

MALPIGHIACEAE

W. 7191 Banisteria cristata Grisch.

W. 7196 Heteropterys macrostachya Juss. forma transiens Niedenz. ?

W. 6466 Stigmatophyllon megacarpon Griseb.

POLYGALIACEAR

W. 6430 Monnina crotalarioides OC.

W. 8125 Monnina sp.

W. 7036 Monnina pachycoma Chodat W. 7071 Monnina sp.

LEGUISINO AR

W. 8283 genus not recornized

n n n W. 8449

W. 8006

W. 6389 Luginus sp.

W. 6.31 Lucinus sp.

W. 8529 Lupinus sp.

W. 8285 Cologania australis Criseb.

W. 6413 Galactia F, cciosa DC.

W. 7199 Phascolus adenanthus Meyer

W. 8555 Vicia graminea Sm.

W. 8420 Poissonia hy oleuca (Speg.) Lillo

W. 8100 Indigofera humilis HBK.

W. 6304 Dalea Hofstenii Fries

W. 8405 Cracca caribaea (Jacq.) Benth

W. 8402 Tipuana tipu (Benth) Lillo

W. 8435 Nissolia fruticosa Jacq.

W. 8303 Zornia di hylla (L.) Pers.

W. 7116 Jucuna rostrata Benth

W. 7175 A esmia miraflorensis Remy

W. 6310 Adesmia sp. W. 6415 Crotalaria inc na L.

W. 6420 Crotalaria nitens MBK.

W. 8436 Caesal inia melanocarja Griseb.

W. 6321 Caesalinia pumilio Griseb. W. 6347 Hoffmanseggia Doellii Phil

W. 8456 Gleditschia amor; hioides (Griseb.) Taub.

W. 8304 Cassia bicapsularis L (equals no. 6128)

BU-HORBEAGRAN

W. 8427 Phyllanthus brasiliense (Aubl.) Poir

GERANIACEAE

W. 6335 Geranium sessiliflorum Cav.

LINACEAE

W. 8169 Linum Filiforme Urb.

ZYGO HYLLACTAE

W. 8200 Kallstroemia boliviense Stan ley

OXALIDAG AN- e nt.

W. 8343 Mypseocharis pimpinellifolia Remy, for the

W. 8015

W. 6352

Duplicale

Univ. Calif. Bot. Gard. Exped to So. Amer. det. at Gray Herb. by I.M. Johnston (March 1938) COMFOSITAE Aster exilis Mll. 8453 Erigeron hieracioides Wedd. 7049 Diplostephium Haenkei (DC.) Wedd. 7035 Gutierrezia Gilliesii Griseb. var. scabriuscula Griseb. 8225 6330 £ 0 17 (correction) 2 6094 Lepidophyllum quadrangulare (Meyen) B.&H. 7138 Pluchea suaveolens (Vell.) Ktze. 8430 Loricaria ferruginea (R. & F.) Wecd. 8136 Lucelia sp. 7165 Gnachalium sp. 7040 Achyrocline ramosissima (Sch. Bip.) Britton 6391 satureoides DC. var. 8337 Baccharis genistelloides (Lam.) Pers. 7061 Baccharis aplina HBK. 7163 Baccharis alpina HBk. ? 7177 Baccharis medullosa DC. 8004 Baccharis dracunculifolia DC. 8269 M. 4403 Madia sativa Molina Farthenium Hysterpphorus I. 8373 Porophyllum ruderale (Jacq.) Cass. 8009 Cephalophora aromatica Schrad. 8210 Spilanthes urens Jacq. var. hispidula DC. 8197 Bidens triplinervia HEK. 8223 Bidens tri linervia var. macrantha (Weda. ) Sherff. 6342 78 76 8222 112 17 8224 Coreopsis fasciculata Wedd. 8133 Cosmos peucedanifolius Wedd. 8348 Viguiera Weberbaueri Blake 8200 6318 Flourensia Fiebrigii Blake Werbesina australe Baker 8372 8289 Verbesina flavovirens Fries Aspilia aurantiaca Griseb. 8265 Sanvitalia versicolor Griseb. 8306 Orchidaceae (determine by Mr. Schweinfurth) 8018 Bletia catemulata R.&P. 6470 6426 Epidendrum xytriophorum Reichenb. & Wazsc. 7059 Epidendrum integrilabium A. & S. 6449 Masdevallia Veitchiana Reichenb. 7064 Pleurothallis macrorhiza Lindl. aff. (fruit only) 8024 Sobralia Mandonii Reichenb. 7062 Oncidium aureum Lindl.

(March 1938)

Deplicate

#### MALVACHAE W. 6424 Abutilon arboreum (L.) Sweet (equals W. 3755) W. 8040 Abutilon sylvaticum (Cav.) Schum. W. 6350 Malvastrum tenellum (Cav.) Hieron. W. 8433 Halvastrum coromandelianum (L.) Garcke W. 6362 Nototriche anthemidifolia (Remy) Hill W. 8199 Ralaua dissecta Benth. W. 8081 Gossypium peruvianum Cav. ₩. 8272 Pavonia glechomoides St. Hil. W. 8396 Cienfuegosia argentina Guercke TILIACEAE 6473 W. Triumfetta acuminata HBK W. 8444 Corchorus hirtus L. BOMBAGAGEAE W. 8358 Chorisia insignis HRK. STERCULIACEAE W. 8195 Waltheria ovuta Cav. SALIN ACEAE W. 8397 Serjanta glabrata HBK. var. ? (no fruit) W. 7197 Serjania sp. GUTTIFARAE W. 8112 My wricum laricifolium Juss. W. 8172 Hypericum uliginosum HBK. BECONTACEAE W. 8413 Begonia sp. (sp. no. 1) This genus can not be named in America. W. 8522 Regonia sp. no. 2) One must see the types at Geneva, Berlin W. 8205 Beronia sp. no. 3) and Hew. W. 8513 Begonia sy. no. 4) W. 8330 Begonia sp. no. & (same as 8315 and 6244) W. 6-16 Beconias. W. 8025 Begonia Clarkei Hook.f. W. 6440 Begonia sj. ROSACLAE W. 8178 Osteomoles ferruginea HBK. W. 8191 Ost om les obtusifolia lindl. Polylepis incana NEK. var. ₩. 8053 W. 8187 Alchemilla vulcanica C.& S. (cet. Lily Perry) Lythraceae W. 8086 Cuphea ciliata R.& F. W. 6441 Cuphea ciliata R. & P. W. 8282 Cuphea merostemon Koehne W. 8284 Cuphea glutinosa C. a. S. LOASACEAE W. 8017 Mentzelia Fendleriana URB. & Gilg. W. 8.11 Cajophora lateritia Klotz. W. 6388 Cajo, hora horrida Urb. & Gile 8349 W. Cajophora n. sy. a W. 8236 Cajo hora n. sp. b VIOLACEAE W. 7030 Viola ygmaea Juss. ₩. 8148 Viola pygmaea Juss. OXALIL ACTAL 17. 7066 Oxalis wolicho oda Diels

W. 7054 Oxa is pube cons HUK. W. 8414 Oxalis Venturiana Knuth

T. 8407a Oxalis Venturiana Knuth

W. 6371 Oxalis br viramulosa Rusby

W. 7053 Oxalis pubescens HBK.

W. 8093 Oxalis sp.

Whiv. Calif. Bot. Exped to South A erica

determinations by T. Johnston X/6 ERICACEAE 1.6434 Disterigma alaternoides (HBK.) Niedenz. " pernettyoides (Griseb.) Niedenz. W.7079 Cavendishia Beckmanniana Hoer. W.7056 . 7078 Ceratostema s ectabilis Rusby ₩. 7076 Graebnerianum Hoer. T. 7047 Siphonandra elliptica (R.&P.) Klotz. Thibaudia regularis A. Snith topotype W. 6437 7. 8030 Befaria (Lauca H.&B. var. coarctata (H.&B.) Hansf. & Sleumer 7060 7. 64.5 W. 6431 Clethra forruginea R. & P. rernettya prostrata (Cav.) Sleumer 厚。7027 var. Pentlandii (DC.) Sleumer " (a correction) (3780)W. 8161 W. 8160 Vaccinium floribundum IBK. var marginatum (Dunal) Sleuner W. 6438 · 8146 77 17 var. Tatei (Pusby) Sleumer 7. 7033 ty ical form (no. 7035 is a mixture of the above Vaccinium and a faultheria the latter has leaves veined and hairy beneath an. is 7033a) W. 8099 Gaultheria brachybotrys DC. W. 8098 77 (new identificati n) (W.3779)glabra C 19 7. 7087 79 89 W. 6433 Gaultheria sp. A (this species has been frequently collecte T.7033a in sp. Peru an Bolivia and has passe as G. conferta which it is certainly not. I want to get acvice or specialists on the form. W. 7080 を変 S; . A W. 7065 s . A 7. 7058 5p. A Gaultheria sp. B A secies that has be n collected before but 7070 I can not decide on its ro er name. Halorugidaceae . 8324 Gunnera tarijensis n. sp. 7090 Gunnera Margaretae Schindler U BILLI GRAE Ammi Visnaga (L.) Lam T. 8205 Eremocharis triradiata (Wolf) Jtn W. 8074 ". 6375 Oreomyrrhis andic la (Lag.) Endl. \*. 6378 Azorella diapensioides Gray ? W. 7167 Azorella multifida (R.S..) Pers. . 8054 Hydrocotyle acutifolia . & . W. 6334 Bowlesia incana R.&P. LOGANIACIAE

". 8418 Spigelia scabra C.25.

MYPTACLAE 8012 genus ance tain: this belongs to the Argentine group of ayrts which are in complete confusion. They need revision!

". 7055 Myrteola microphylla (H.&B.) Berg

```
(A ril 1938)
Mhiv. Calif. Bot. Gard. Med to Co. Amer.
                determinatins by I. I. Johnston
   CO LOSITAR
   ". 7135 Chuquiraga rotun ifolia "edd.
   T. 6512
            Gochnatia giutinosa Don
   T. 8399
            Cnicothamnus Lorentzii Griseb.
   W. 824.0
            Onoseris odorata (R. I.) H.& A.
   W. 8218
           Trichocline auriculata (Wedd.) Hieron.
   W. 6351
   W. 6396
           Mutisia viciaefolia Cav.
   W. 8054
            var.
              49
   W. 6355
                   ledifolia "edd.
            " Orbignyana e.d.
" sp. probably undescribed
   7. 6361
   W. 6386
   8351
           Perezia multiflora (H?&B.)Less
   W. 6374
   W. 6390
           Perezia pur urata Wedd.
   W. 7039 Perezia sp.
   6459 W
           Trixic antimenorrhoea (Schrank) Mart.
   W. 8278
           Hypochaeris brasiliensis (Less.) Griseb. ?
   W. 7048
                       setosus (Tedd.) Rusby
   (6073)
   W. 8452 Picrosia longifolia Don
   Proteaceae
   1. 7067 Embothrium grandiflorum Lam.
   W. 8085
   LORUTIACHAE
    . 8175 Phrygilanthus eugenioides (NEK) Eichl.
    . 8158
                         longebracteatus (Desv.) Macbr.
  ". 8083 Psittacanthus op. aff. P. coccineus Fatsch. robubly new.
   A'I PO' OCLIACIAE
   ". 8419 Aristolochia Esperanzae Huntze
   POLYGONACUAE
   ". 6385 Juhlenbeckia vulcanica (Benth) Endl.
   7058
                       fruticul sa (Talp.) Stanfl.
   . 7194 Triplatis Pavonii Meisn.
   C'HHOLODIACEAE
   W. 6308 Chenopodium incisum Poir.
   W. 8439
                       ambrosioides L.
   NYCTAGINACEAE
   W. 6520 Allonia incarnata L.
   ". 8294 Boerhaavia caribaea Jaco.
   W. 6340 Mirabilis prostrata (R. & .. ) Me Heimerl.
   T. 8256 Pisoniella arborescens (Lag. & Rodr.) Standl.
   PORTULACACEAE
   W. 8153 Calandrinia acaulis HBK.
   W. 8292 Portulacea sp. A//AkeA(nixture of two species) I have restricted
                 no. 8.9. to large lant with norrow leave, warte seeds
                 and carsule chiscent about the middle.
                 no 8292A is the small lant with broad reen leaves, ca sule
                  ehiscent near base and small smoothish plumo metalic seeds.
              I am unable to give a satisfactory name to either plant.
   (no. 6191) Talinum triangulare (Jacc.) Willd.
                                                   a correction
   W. 2003 Talinum aniculatim (Jacq.) Gaertn.
   W. 8416
   PHYTOLACCACLAE
   7. 8417 Hilleria latifoloa (Lam.) Walt.
   W. 8392 Achatocarpus praecox Griseb.
   Caryophyllaceae
```

". 8154 Ceras ium vulgatum L. var.



UNIV. CALIF. BOT. GARD. EX. F . TO SO. AMER determinat: na by I. M. Johnston

RAININGULACEAE 7. 8052 Clematis parvifrons Ulbrich

Clematis mont vidensis Spreng. \* 8432 (this is the correct name for the variable Clematis

of sou hern So. Amer. assing usually as C. Wilarirr (here belongs W. 6234, M. 4320, M. 4360 and M. 4325)

W. 8251 Clematis montevidensis Spreng.

7. 7198 Clematis sericea HBK. Clabrate form

W. 8094 Rammenlus pilosus MR. peruvianus DC.

7. 8123 agremonifolius Criseb. 17 W. 8273

7. 7050 Anemone integrifolia HBK.

PA AVITACIAE

Bacconia frutescens L. 7. 6472

SALI. RAGACEAE

W. 8514 Escallonia aculcata Kunt e

T. 8129 Saxifraga peruwiana sternb.

W. 8101 Ribes peruvianum Janez.
W. 5585 Ribes glangulosum R. P. sensu Janezewski

" (new identification) 1. 4199

· 81.55

Berbe idaceae

7041 Berberis sp.

CAL'PA IDAC LAE

W. 8167 Cleome clandulosa R. & P.

W. 8408 Creome gigantea L.

7. 8388 Cleome cordobensis Eichl.

ROSACTAE

W. 8073 Kageneckia lanceolata R. & D.

C UCIA RAE

7. 6302 Legidium bonariense L.

w. 6359 Bisymbrium peruvianum DC.

. 9852 Sisymbrium s. ? too young

```
Univ. Calif. Bot. Gard. Exped. to So. America determined at the Gray Herbarium by I.M. Johnston
                                                              (May 1938)
ANACARDWACEAE
8354 Haplorhus peraviana Engler (Rare and very interesting species)
CANNACEAE
6419 Canna indica L. ?
TAXACEAE
8317 Podocarpus Parlatorei Pilger
EPHEDRACEAE
8297 Ephedra triandra Tul.
6357 Enhedra americana Humb. & Bonpl.
ARACEAE
8423 Synandrospadix vermitoxicus (Gris.) Engler
LILIACEAE
8293 Nothoscordum
3581 Nothoscordum andicola Kunth
AMARYLLIDACEAE
6228 Eustephiopsis latifolia R.E.Fries
7161 Eustephia coccinea Cav.
7171
          48
3681
          #
3691
8048 Crocopsis fulgens Pax
8049
7168
     Zephyranthes parvula Killip
     Urceolina peruviana (Presl) Macbride - correction
3682
8047
8233 Alstroemeria Fiebrigiana Kraenzl.
                          Accession no. 37.1001
Reed Hippeastrum sp.
8012 Fourcroya andina Treal.
8309 Hypoxis decumbens L.
Reed Conanthera campanukata Don Accession no. 37.1161
DIOSCOREACEAE
8252 Dioscorea sinuata Vell.
6429 Dioscorea amarantoides Presl
IRIDACEAE
6446 Excremis coarctata (R.&P.) Baker
7075
8113 Orthrosenthus ocisapunga Ruiz
      Sisyrinchium palmifolium L.
8331
7029
              praealtum Kraenzl.
8280
                    azureum Phil.
COMMELINACEAE
8445 Commelina sp.
8238
```

8438 Tinantia erecta (Jacq.) Schlecht.

8171 Carex Bonplandii Kunth

CYPERACEAE

PIPERACEAE

8143 Carex sp.

8156 Peperomia sp.

UNIV. CALIF. BOT. GARD. EXPED. TO SO. AMERICA (May.938) determined at the Gray Herb by I.M. Johnston

GRAMINAE

7025 Calamagrostis sp. too mature 8132 Calamagrostis sp. perhaps vicunarum Pilger (too mature)

Andropogon condensatus HBK. 6447

8455 Panicum sp. 6348 Aristida adscensionis L.

8249 Paspalum notatum Flügge

\$109 Paspalum penicillatum Hook.f. 6341 Melica

7111 Guadua sp.?

Jan. 1939 Univ. Calif. Bot. Garden Exped to SO.AMer. LABIATAE (det. Epling). W. 8022 Salvia occidentalis Sw. W. 8288 Salvia stachydifolia Benth W. 8295 Salvia rypara Briq.
W. 8243 W. 8209 Salvia tubiflora Sm.
W. 8108 Salvia oppositiflora R.&P. W. 8105 " W. 6345 Salvia Gilliesii Benth. Luplicale W. 7174 Salvia sarmentosa Epling Vargas 191 Salvia oppositificra R.&P. W. 8091 Hy tis eriocephala Benth W. 8208 Hyptis sidaefolia (L'Her.) Brig. T. 6465 Hyptis Tafallae Benth W. 8014 Hy, tis odorata Benth. W. 8087 Scutellaria gardoculoides Benth. W. 6418 Lepechinia Codon Epling W. 8092 Satureja tomentosa (Kunth) Briq. W. 6384 Satureja poliviana (Benth.) Briq Satureja poliviana (Benth.) Brig. W. 8232 Satureja parvifolia (Phil.) Epling MELASTUMACEAE (det. by H.A.Gleason) W. 7123a ?Clidemia sp.? "undoubted y teratologocal" W. 7034 Brachyotum nutans Gleason W. 6422 Brachyotum quinquenervium (R.&P.)Triana W. 3766 Brachyotum sp. 7. 3662 Tibouchina cornuta Gleason 11.4296 W. 6456 Tibouchina sp. probably new but no corolla T. 8267 Tibouchina sp. probably new but no stamens Tibouchina dimorphophylla Gleason W. 7072 Tibouchina paratropica (Griseb.) Cogn. W. 6251 W. 8138 Miconia media Triana W. 8110 W. 3835 Miconia al ina Cogn. Miconia calvescens (Sch.& Mart.) DC. M. 4297 Tococa occidentalis Naud. W. 7133 URTICACEAE (det. Killip) Vargas 218 Boehmeria brevirostris Tedd. W. 6463 Phenax laevigatus "e d.

W. 8035 Pilea nutans (Poepp.) Wedd.

PASSIFLURACEAE (det. E.P.Killip)

W. 8126 Passiflora parviforia (DC.) Harms

W. 8175 Passiflora Matthewsii (Mast.) Killip (approaching P. mixta

GESNERIACEAE (det. C.V.Morton)

W. 7117 Alloplectus speciosa Poe p. & Endl. W. 7118 Scemannia sylvatica (HBK.) Hanst.

VALERIANACEAE (det. E.P. Killip)

W. 6329 Valeriana potepensis Briq.

Valeriana Weberbaueri Graebn. W. 8150

W. 8142 Belonanthus spathulatus (R.&P.) Schm.

w. 3151 Phyllactis rigida (R.&P.) Pers.

AMARYLLIDACEAE (Bomarea -- det. E.P. Killip)

W. 3717 Bomarea puberula (Herb.) Kraenzl.

B. porrecta Killip W. 8159

B. porrecta Killip W. 8107

W. 3689 B. ovata (Cav.) 7/1/27

B. aurantiaca Herb. W. 7081

₩. 7099 B. distachophylla (R.&P.) Baker

₩. 6387 B. petraea Kraenzl.

B. Bridgesiana Beauverd ? ₩. 6500

B. dulcis (Hock.) Beauv. ₩. 3770

W. 6114 B. Martiana Schenck

M. 4258 B. maculata Killip

W. 7073 B. setacea (R.&P.) Herb.

W. 3769 B. sanguinea Kraenzl.

West 7083 Fuchsia austromontana n.sp. type Gray & U.C. material OF. West 7093 F. leptopoda Krause vel n. sp. (not F. austromontana !)

no. 7034 Brachyotum acc. to Jet. by Gleason. cf. re west of Nov. 17th 6505 cant locate this number at Gray Herb.

Letter from Mrs. Locke dated Se t. 6, 1938

Vargas lant is Fuchsia macrantha Hook. (not chloro oba)

Letter from Mrs Locke dated Jan. 6, 1959 Stork & Horton 9420 is Renealmia micrantha F. Schum.

Univ. Galif. Bot. Gard. Exped. to So. Amer. ANACARDIACEAE W. 4802 Schinus montanus Engler ₩. 4782 99 W. 4742 Schinus sp. Very peculiar form which I cant place. Wish I had fruit. W. 6010 Schinus polygamus (Cav.) Johnston W. 3972 " "
W. 3747 Schinus andinus (Engler) Johnston, var. peruvianus Johnston, var. nov. W. 3952 Schinus latifolius (Gill.) Engler, var. tomentosus Fenzl W. 4989 Lithraea caustica (Molina) Miers CELASTRACEAE W. 3781 Maytenus sp.? Is so new. Fruit needed here. W. 4803 Maytenus disticha Urban W. 4833 " W. 4792 Maytemus Boaria Molina W. 5146 CORIARIACEAE W. 3761 Coriaria thymifolia Willd. W. 4678 Coriaria ruscifolia L. VITAC EAE M. 4342 Cissus palmata Poir. W. 6128 Cissus Tweediana (Baker) Planch. ARKY INDEXE/ W. 4843 Cissus striata R. & P. W. 3579 Cissus sicyoides L.

Univ. Calif. Bot. Gard. Exped to So. Amer.

BROMELIACEAE determined by L. B. Smith. W. 51/3 Puya coerulea Lindl. W. 3936 Puya chilensis Molina W. 4573 Puya venusta Phil. W. 4981 Puya alpestris (Poeppigg) Gay W. 4927 28 W. 4926 M. 4264 Tillandsia capillaris R. & P. forma virescens (R. & P.) Smith W. 3836 bryoides Griseb. W. 3594 recurvata L. 77 W• 3599 " paleacea Presl purpurea R. & P. W. 6176 Deuterochonia Schreiteri Castillanos MYRTACHAE

W. 4865 Myrtus Luma Molina

W. 4729 " " W. 4805 "

W. 4831 Myrceugenia buxifolia (Ph.) Reiche W. 4863 vata (H. & A.) Berg ovata (H. & A. ) Berg W. 4884 W. 5079 W. 5192 93 obtusa (H. & A.) Berg W. 5192 W. 4861 planipes (H. & A.) Berg

W. 5125 Eugenia Chequen H. & A. W. 4579

W. 4906 Myrteola Barneoudii Berg

M. 4266 Psidium Araca Raddi

HALAGOR 9 gi DAC EAE

W. 4561 Gunnara chilensis Lam.

ARALIAC EAE

W. 4676 Pseudopanax laetevirens (Gay) Seem.

BEGONIACEAE

W. 6217 Begonia sp. equals Venturi 2996 Probably new
W. 6216 Begonia sp. equals W. 6244 & Joergensen 1343 Probably new W. 6244 m

W. 3617 Begonia octopetala L'Herit.

M. 4051 M. 4020

M. 4152 Begonia sp.

W. 3818 Begonia Clarkei Hook. f.

LYTHRAC EAE cont.

M. 4308 Adenaria floribunda HBK.

#### LOSACEAE

W. 6181 Mentzelia parvifolia Urban & Gilg

W. 3923 Lossa elongata H. & A.

M. 4011 Loass urens Jacq.

W. 4675 Lorsa acenthifolia Desv.

W. 5135 Loesa floribunda H. & A.

W. 6015 Loasa pollida Gillies

W. 3601 Loasa incana Graham

W. 5247 Cajophora coronata H. & A.

M. 4611

W. 4768 tomentosula URb. & Gilg

17 W. 6263 hibiscifolia (Griseb.) Urb. & Gilg

48 W. 6084 rosulata (Wedd.) Urb. & Gilg 98 W. 3654 contorta (Besv.) Urb. & Gilg

W. 6090 13 horrida (Britton) Urb. & Gilg

м. 4197 cirsiifolia Presl

₩ 3732

## UMBRILIPERAE

W. 5058 Apium Panul (Bert.) Reiche

M. 4049 Spananthe paniculata Jac.

M. 4379 Ammi visnaga (L.) Lam.

W. 1744 Eryngium paniculatum Cav.

M. 4277 Eryngium elegans C. & S. W. 4859 Hydrocotyle Poennicii De Hydrocotyle Poeppigii DC

W. 5119

W. 4808 Osmorrhiza Berterii DC.

W. 4743 Mulinum spinosum (Cav.) Rers.

microphyllum (Cav.) Pers. W. 4757

W. 5184 92 cuncatum H. & A.

12 W. 4941

W. 6018 Gymnophyton sp. Is this certainly from prov. Santisgo??

polycephalum Clos W. 5136

M.. 4368 Asteriscium sp. Apperently new

" chilens C. & S. ₩- 4370

W. 6033 Azorella Yareta Hauman

" diapensioides Gray ₹. 3740

W. 4992 Centella triflora (R. & P.) Nannf.

#### CORNACEAE

W. 4594 Griselinia racemosa (Ph.) aub.

W. 5190 " scindens (R. & P.) Taub.

W. 4985

W. 4736 Discario longispina (H. & A.) Miers

W. 4700 Discaria serratifolia (Miers) B. & H. ex Weberb.

W. 4556 Retamilia striata H. & A.

M. 4076 Scypharia senticosa (HBK.) Miers

## ELEOCARPAC AE

W. 5124 Aristotelia chilensis (Molina) Stuntz

W. 4555 " " " "

#### LYTHRACEAE

W. 3896 Pleurophora pungens Don.

M. 4121 Cuphea cordata R. & P.

dipetala (L.f.) Koelme ianthina Koelme W. 3776

M. 4282

## FRANKEN IACEAE

W. 6083 Anthobryum triandrum (Remy) Surgis

W. 6024

W. 3879 Frankenia chilensis Presl

#### MALESHERBIACEAE

W. 3939 Malesherbia paniculata Don

W. 5171 " linearifolia (Cav.) Poir.

## PASSIFLORACEAE

W. 3759 Passiflora trisecta Mast.

" trifoliata Cav. W. 3737

92 M. 4303 rubra L.f. ? no flowers

M. 4348

rubra L.f. 7 no fl.
" caerulea L.
" naviculata Griseb.
" coccinea Aubl. M. 4319

M. 4284 coccinea Aubl.

## HYPERICACEAE

W. 5106 Hypericum csespitosum C. & S.

M. 4042 " uliginosum HBK.
M. 4269 " stylosum Rusby

M. 4269

" stylosum Rusby " laricifolium Juss. M. 4122

M. 4268 Vismis glabra R. & P.

M. 4138 tomentosa R. & P.

M. 4134 Clasia sp.

#### DILLIMIACEAE

M. 4310 Saurauja pseudoparviflora Buscal.

## THEATEAE

M. 4137 Wikstroemia fruticosa Schrad.

Univ. Calif. Bot. Gard. Exped to So. Amer.

### MALVACEAE

W. 3731 Nototriche Pearcei (Baker) Hill

anthemidifclia (Remy) Hill

W. 6239 Abutilon niveum Grisch.

sp. M. 4062 M. 4104

" sylvaticum (Cav.) Schum.
" mollissimum Sweet W. 3755 W. 6126

M. 4107 Wissadula microcarps Fries

W. 6137

" aff. macrantha Fries gymnanthemum (Gris.) Schum. M. 4346

M. 4094 Side rhombifolia L.

M. 4149

" cordifolia L. M. 4276

M. 4151 Pavonia paniculata Cav.

M. 4150 Malva verticillata L.

M. 4183 Uristaria formosula Johnston

of. elegans Gay specimen poor.
glaucophylla Cav. W. 3901

W. 3316

M. 4338 Sphaeralcea rhombifolia Griseb.

м. 4387 " mendocina Ph.

M. 4180 Malvastrum mollendcense Ulbr.

W. 3613 " peruvianum (L.) Gray

M. 4043

M. 4324 Modiolastrum malvifolium Griseb.

M. 4165 Palaus dissects Benth.

M. 4185 "

# ONAGRAC EAE

1	N. 3705	Fuchsia gard n form
	1. 4129	" abrupta Johnston
	V. 3669	macrantha Hook.
	1. 4128	decussata R. & P.
	1. 4126	12 18 CC 19
	1. 4127	If dentionlets D 2 D
		denticulata R. & P.
A.	v. 3783	boliviana Carr.
	1. 4286	
	1. 4292	19 1>
	7. 3921	" rosea R. & P.
V	7. 4846	" garden form
G	4589	" garden form
	v. 3980	" magallanica Lam.
	20	· · · · · · · · · · · · · · · · · · ·
100	7. 3919	Oenothera coquimbensis Gay
	7. 3969	acaulis Cav.
	. 4116	**
		Loses Wrech
300	1. 4167	You doosd oomisoon
	1. 4386	odorata Jacq.
M	1. 4354	" affinis Cambess.
H	7. 5096	Godetia ten lla (Cav.) Steud.
G	4595	18
	7. 3960	" tenuifolia (Cav.) Spach ?

Doglent

## University of California Botanical Garden Exped. to the Andes

# COMPOSITAE (148)

W. 6136 Verbesina Lilloi Blake, a pubescent form. 19

W. 6288 australis Baker W. 6118

W. 4915 Gnapholium Chamissonis DC.

₩. 3670 capitatum Griseb.

W. 6089 24 Sp.

M. 4262 Lucelia Pickeringii Gray

W. 6007 Madia sativa Molina

M. 4032 Villanova oppositifolia Lag.

W. 3914 Bahia ambresicides Lag.

W. 6180 Flaveria bidentis (L.) Kuntze

M. 439) Cephalophora heterophylla Less.

M. 4084 Porophyllum ruderale (Jacq.) Cass.

M. 4115 Tagetes elliptica DC. :

W. 4148 Liebum ignierium (H. & A.) Less.?

W. 3855 Grindelia boliviana Rusby

W. 3640 tarapacana Ph.

M. 4329 Hysterionica caurina Johnston

W. 6088 Lepidophyllum quadrangulare (Meyen) B. & H.

W. 6066 Gutierrezia taltalensis Phil.

W. 6094 Gilliesii Griseb.

W. 3580 Pluchea chingiyo (HBK.) DC.

M. 4380a. Tessaria absinthioides DC.

M. 4366

M. 4033 Erigeron leptorhizum DC.

W. 4967 Conyza chilensis Spreng.

W. 6113 Heterothalmus boliviensis Wedd.

M. 4365 spartioides H. & A.

W. 5105 Baccharis rhetinodes Walp.

umbelliformis DC.

W. 4737 W. 4362 W. 6087 marginalis DC. microphylla HBK.

W. 6097 11

W. 3826 19 genistelloides (Lam.) Pers.

W. 3666 12 odorata HBK. floribunda HBK.

W. 3735 W. 363 12 3667 W. 3667 alpina HBK.

```
W. 6174
W. 6168
          Stevia minor Griseb.
          " potrerensis Hieron.
 W. 3616
               melissaefolia (Lam.) Sch.Bip.
          19
 W. 6274
                sp.
 W. 3883 Ophryosporus triangularis Meyen
 M. 4154 Eupatorium amygdalinum Lam.
w. 3857
        Pentlandianum DC.
macrocephalum Less.
Maximiliani Schrad
W. 6240
W. 6153
W. 6233
 W. 6240
W. 6233
             11
                   laevigatum Lam.
 W. 3946
           17
                  glechonophyllum Less.
W. 3944
W. 3611
            $90
                    Salvia Colla
                    Sp.
W. 6140 Vernonia saltensis Hieron.
W. 4552 Pedanthus ovatifolius Lag.
W. 3933 Aplopappus chrysanthemifolius (Less.) DC.
W. 5139
          " macrocephalus (Less.) DC.
W. 4925
W. 3846 Wedelia sp. ? Specimen inadequate
W. 6100 Flourensia Fiebrigii Blake
W. 6138 Acanthospermum hispidum DC.
W. 6172 Zinnia peruviana L.
м. 4355
         " multiflora L.
W. 6117
W. 4866 Leptocarpha rivularis DC.
W. 3832 Franseria artemisioides Willd.
M. 4371 Parthenium Hysterophorus L.
W. 6271 Spilanthes alpostris Griseb.
         " ielepis Moore
M. 4022
M. 4041
W. 3574
M. 4089
         Encelia canescens Lam.
         9R 96
₩. 3892
                            var. tomentosa (Walp.) Ball.
₩. 3874
                   11
W. 3893
        Viguiera revoluta (Meyen) Blake
W. 6013
W. 6286
         99
                 tucamensis (H. & A.) Griseb.
M. 4164
                Weberbaueri Blake
W. 6209 Cosmos peucedanifolius Wedd.
M. 4289
         Solidago microglossa DC.
```

₩. 6241

Univ. Calif. Bot. Gard n Exped to Andes ---COMPOSITAE 3 W. 3926 Centaurea chilensis H. & A. var. stenolepis Phil. (two sheets sent, one with field label; shouldnt one be returned?) W. 4934 Centaurea bulbosa H. & A. W. 6196 Carduus nutans L. var. macrocephalus (Desf.) European weed M. 4357 M. 4271 Hieracium sp. probably undescribed (a native plant) Hypochaeris sp. aff. H. coronopifolia (Comm.) Franch. W. 4755 Probably worth naming. W. 6073 Hypochaeris sp. Hypochaeris Meyenianus (Walp.) Griseb. W. 6071 M. 4191 stenocephala (Gray) Ktze. W. 3663 W. 6109 Chuquiraga acanthophylla Wedd. ₩. 5145 oppositifolia Don W. 3920 Moscharia pinnatifida R. & P. W. 6076 Perezia ciliosa (PHil.) Reiche 19 ₩. 3720 pungens Less. ? 10 M. 4619 carthamoides (Don) H. & A. 朝 W. 5182 nutans Less. W. 6008 Leucheria floribunda DC. W. 3975 acanthoides Don 99 W. 4750 multifida (DC.) Reiche W. 4930 rosea (DC.) Reiche W. 5250 perhaps form of L. foliosa Ph. A very queer plant please send me all your material for study. W. 3870 Gymnothamnium pinifolium Phil. W. 6192 Plazis sparticides (Wedd.) G. 4597 Triptilion cordifolium Lag. W. 3993 spinosum R. & P. W. 4922 W. 6004 Nassauvia uniflora (Don) Hauman W. 5246 spinosa Don W. 6133 Cnicothamnus Lorentzii Griseb. M. 4088 Onoseris odorata H. & A.

W. 5141 Gochnatis rigida Don

W. 5197 Proustia pyrifolia Lag.

W. 5122 Mutisia latifolia Don W. 3964 " "

W. 4761 " retusa Remy, var. glaberrima Phil w. 6017 " acerosa Poepp.

W. 6093 " subulata R. & P. W. 5131 " lineariaefolia Remy

subspinosa Cav.

Univ. Calif. Bot. Garden Exped. to Andes. -- COMPOSITAE

W. 4918 Chaetanthera serrata R. & P. 910 flabellata Don ₩. 3961 12 glabrata (DC.) Meigen W. 3917 W. 5158 n. sp.? W. 4924 Trichocline aurea Don M. 4321 Chaptalia nutans (L.) Polah. W. 3876 Polyachyrus fuscus (Meyen) Walp. Poeppigii Kunze ₩. 3954 W. 4684 Senecio chilensis Less. N. 4046 Abadianus DC. clivicola Wedd. M. 4259 graveolens Wedd. W. 6091 W. 6185 13 albicaulis H. & A. 98 M. 4384 72 rutaceus Phil. ₩. 6009 17 adenotrichus DC. ₩. 4568 w. 3903 w. 3996 91 hakaefolius Bertero 99 Tumingii H. & A. 2.0 glaber Less. G. 4594 98 trifurcatus Less. ₩. 4710 99 denticulatus DC. W. 4599 w. 3979 19 W. 5165 92 ₩. 6085 W. 4754

For a representative collection of the size accumulated by Mrs Mexia and Mrs West In western and southern South America I would am surprized at the relatively few numbers of Senecio. Around 150 species is about the normal expectancy for a collection of this size and scope. Dont feel that I am disappointed; because naming Senecios is hard work!!

W. 3795 Tessaria n. sp? M. 4045 Galinsoga ?

M. 4395

M. 4030 genus unrecognized

These three numbers are snags that need more study. I may need the help of Blake. I will defer report until later.

Copy 38

```
AMARYLL IDAGEAE
G. 4610 Hippiastrum graciliflorum (Phycella graciliflora Herbert)
G.5210
                                        no flowers
W. 4570
                       advenum Herb.
             9.0
7. 4563
             27:
W. 4904
                      sp.
W. 4903
M. 4188
                      sp.
          Zephyranthes parvula Eillip
           11
M. 4083
                   tubiflora (1 Herit.) Schinz
W. 3849
W. 3760
          Hymenocallis sp.
          Stenomesson sp. ? no flowers
W. 3696
                     humile (Herb.) Baker
и. 40)7
7. 3682
                     aurantiacum (HBK.) Herb.
          coccineum (R. & P.) Herb.
W. 6114 Bomarea Martiana Schenck
7. 376y Bomarea sanguinea Kranzl.
M. 4258 Bomarea Fiebrigiana Kranzl.
W. 3717 Bomarea involucrota (Herb.) Baker W. 3770 Bomarea dulcis (Hook.) eauv.
Garv. 3104 B. salsilla Herb. W. 4886 Bomarea salsilla Herb.
W. 3689 Bomarea sp.
H. 4627
         Alstroemeria pallida Graham cf. Bot. Mag. 58: tab. 3040.
               29
W. 5101
                        sp.
N. 4920
                        sp.
               19
W. 4961
                        ligtu L. var. ?
               22
W. 4919
                        sp.
               4.5
W. 5071
                        ligtu L.
               73
W. 3967
                        haemantha R. & F.
               9%
W. 5180
                        revoluta R. & P. at least as generally accepted.
7. 5179
W. 4845
              912
                        versicolor R. & P.
               8.8
事。5149
                        Hookeriana Schultes
W. 5243
               991
                       spathulata Presl
              992
W. 4921
                        pulchra Sims ?
W. 3984
                        pulchra Sims
               91
7. 3971
               91
· 4536
                        recumbens Herbert
W- 3957
```

eget James West Univ. Calif. Bot. Card. exped to So. Amer. Miscl. plants from western Mexico and Cent. Amer. (arranged systematically) W. 3503 Cyperus cayennensis (Lam.) Britt. W. 3564 Cyperus ligularia L. W. 3526 Piper W. 3539 Piper W. 3512 Ficus mexicans Miquel W. 3534 Coccoloba floribunda (Bonth.) indau W. 3529 Rivina humilis L. W. 3522 Agdestis clematidea Moc. & Sesse W. 3502 Caesalpinia pulcherrima Sw. ₩. 3557 Crotelaria retusa L. W. 3540 Pachyrhizus erosus (L.) Urban W. 3509 Cassia occidentalis L. W. 3527 Mimosa leptocarpa Rose ₩. 3507 Ditaxis tinctoria (Millsp.) Pax & Hoffm. Serjania sp. probably S. triquetra Radlk. fruit needed! W. 3559 ₩. 3552 Malvaviscus arboreus Cav. W. 3523 Malvastrum coromandelianum (L.) Garke 7. 3550 Carica papaya L. W. 3548 Passiflora pulchella HBK. Terminalia catappa L. W. 3565 Conocarpus erecta L. ₩. 3504 Marsdonia mexicana Decn. W. 3537 W. 3506 Funastrum Macrocepis sp.': Am unable to make floral dissections. W. 3551 Thevetia plumeriaefolia Benth. ₩• 3535 Stemmedenia glabra Benth. W. 3521 Ipomoea sp.' A very interest ng and puzzling specimen. Needs more study. N. 3501 Cordia alba (Jacq.) R. & S. W. 3542 Cordia salvadorensis Standley ₩• 3531 Physalis nicendroides Schlentend. ? W. 3514 Solanum madrense Fernald W. 3505 Russelia polyedra Zucc. W. 3510 Elytraria squamosa (Jacq.) Lindau W. 3500 Parmentiera aculeata (HBK.) Seeman W. 3511 Crescentia cujete L. W. 3561 Cydista diversifolia (HBK.) Miers W. 3546 Elaterium gracile (H. & A.) Cogn. W. 3541 Hamelia erecta Jac. W. 3530 Hamelia nodosa Mart. & Gal. W. 3547 Sclerocorpus divaries tus Benth. 6666

Univ. Cali. Bot. Gard. Exped to So. Amer. ( Preliminary names of special groups )

June 1, 1936

Solanum species (genus in a mess and any specific name used would be questionable) 6410, 6461, 6475, 6476, 7192, 7193, 8015, 8028, 8029, 8030, 8031, 8044, 8170, 8194, 8214, 8216, 8217, 8254, 8338, 8355, 8366, 8389 and 8448.

Senecioid Compositae sent to Berlin for identification by Dr. Walter Domke.

	monthem max We	rought radiaton plant of the Marrel DOWNE.
Gynoxis sp.	Senecio spp	
6444	6324	
- Anti-A	7 7	
	6381	(earlier numbers of West and Mexia plants
Liabum	6457	
6427		were sent to Domke late in 1936
944	7024	along with all the other collection
6471	7037	of these genera, from Renu and Bolivia.
පිර්ජිම	mark	
8152	(4-)	found in the Gray Herb. Ro report nor
OLDE	7176	no specimens yet returned.)
	8145	
Werneria	8189	
6363	8244	
7046	, ,	
7160		
8188		

Melastomataceae sent to H.A. Gleason for identification (i.e. N.Y. Bot. Garden)
Mexis 4296 and 4297 West 3662, 3766, 3835, 6251, 6422, 6456, 7034, 7072
7123, 71234, 8110, 8138 and 8267.

Labistze Variaos specim ns sent Epling months ago and still unreturned and unnamed.

Special groups sent to U. Passiflora	S. Nat Herb (to Killip)	
81267775 8175	3689 7717	Justicia (for Leonard)
Valerianaceae	37 <b>69</b> 3770	Gesneriaceae (for Morton)
8142 Belonanthus	4258 6114	7117
8151 Valeriana 6329	63 <sup>2</sup> 7 6500	
Piles	7973 7981	
8035	7099 8107	

8159

CORRECTIONS of plants previously reported.

W. 6194 Bulnesia Schickendantzii Hieron.

M. 4363 Larrea divaricata Cav.

4782 Schinus crenatus (Ph.) Engler

4802

4742

W. 4162 Linaria texana Sheele

Bulb found mixed with Leucocoryne in cultures (cf. Goodspeed letter May 18th, 38) Gilliesia graminea Lindl.

## Ferns of James West

- 8147 Polypodium peruvianum Desv.
- 8320 Anemia tomentosa (Sav.) Sw.
- 8375 Polypodium polypodioides (L.) Watt, var. minus (Fée) Weath.
- 8409 Anemia rotundifolia Schrad.
- 8410 Doryopteris cf. D. patula Fée
- 8411 Pteris denticulata Sw. var. papyracea Christ?
- 8412 Adiantum Lorentzii Hieron.
- 7102 Selaginella Poeppigiana (Hook. & Grev.) Spring

Let Weatherly

Pat. 103.20-25 102 mil. SW- Ferrin

company with 1513

Specimens	from	plant	s grown at	U.	. C. B	otanical	Garden
	from	seed	collected	in	South	America	

Coll. No.	U.C.B.G. Accessio n	Determination of specimen of equivalent number, collected in field, named by Dr. Johnston:
<b>0</b> ₹3912	36.1186	Calceolaria ascendens Lindl.
<i>o</i> ≮3938	36.1559	pristiphylla Phil.
×4513	36.1302	C. petrophila nep? Coll. as seed only.
<b>×</b> 4550	36.1507 -	- C. permata L2 11 11 11
4582	36.1316	corpularea Pot 9 11 11 11 11
× 4772	36.1589	follow Phil. C. Lagris rep
OK5142 —	36.1356	purpurea Grah
at 94 pg - 5186	36.1623	hypericum Pooppis campanal Pul
5248	36.1400	flabellifolia
5227	36.1388	_ corymbora Ref. ? Coll. as seed only.
CK 6245	36.1466	teucrioides Gris.
A 6395	36.1846 —	bartsiaefolia Wedd. typica
OX6428	36.1783	tomentosa R. & P. O.
X 7001	36.1830 —	diversifolia Kraenzl manoplylla f
7107	36.1909	n. sp. 1
C. nap?neas. C. darmentaga	Each specimen	accompanied by photograph of fls. and/or
- mentaga	plant ex	xcept #4582 (36.1316).

C. Englemana Kreey W. 38 58 W. 7002